

Appleton Le Moors Parish Council  
on Wednesday 13th July at 8:00pm in the Village Hall

## Agenda

### 16.41 Receive apologies

None

### 16.42 Declaration of interest

None

### 16.43 Approve minutes of last meeting 25th May 2016

Approved and signed

### 16.44 Financial update

Changes have been made to cheque signing, Lindsay can no longer sign. No cheques presented, but two were signed.

### 16.45 Update from Chair

Extra dog fouling signs have been placed in the village, in the lane near Duncan MacDonald's workshop, and near the pub.

A new playing field committee is being formed that will be supported by the Parish Council. As a first step the dangerous equipment needs to be dismantled.

### 16.46 Village defibrillator

Currently in the pub, Yorkshire ambulance checked defib, 2 pads are out of date, battery 2/3rd charge. The cost for charge stick and new pads £79.

Cabinet Ideally needs to be situated near the front door of village hall. New cabinet would cost £520 without electrical installation. If completed can be registered with Yorkshire ambulance. Ryedale Council will be asked if a grant can be applied for as a community project. If not PC will look in to what we can do at the next meeting.

### 16.47 Sheep in the village

Complaints about damage to gardens and cars, suggested that PC could contact George Winn Darley to see if gorse could be chopped on the common to allow more grass to grow and keep the sheep on the common. However, the grass they are grazing on in the village is common land.

Three possible points of contact are Jim Bailey, Court Leet and George Winn Darley, Lyn will speak to George. Court Leet do not meet until October.

### 16.48 Grass verges

Lynn Waines leaves meeting, this will be put out to tender.

LW returns

16.49 Bench maintenance

Maintenance equipment been bought enough for 6 kits, and notices, villagers will be asked to help clean and oil the benches

16.50 Playing fields

As above

16.51 Meeting dates for the next year

16.52 Matters for the next meeting